

SmartSet: ED - CONFIRMED APPENDICITIS (ID:1730)

General Information

Display name: ED - CONFIRMED APPENDICITIS**Type:** General**Merge priority:** 0**Version comment:****Content source:****Synonyms:**
1. ED
2. Appendicitis**SmartSet notes:****Description:** Use this order set for patients who have image-confirmed appendicitis and are being admitted to surgery for management.

For workup of possible appendicitis, use ED ABDOMINAL PAIN order set

Instructions for admission orders:

Diagnosis (Clinical Impression): Acute Appendicitis

Admission service: pediatric surgery

Admitting attending: per call list

Admission status: OBSERVATION, unless patient known to have perforated appendicitis - then use INPATIENT

Web information:

	Title	URL
1.	Appendicitis Algorithm	http://portal2/sites/coex/clinical-qlty-excellence/clinical-qlty-effectiveness/Clinical%20Care%20Guidelines%20in%20Practice/Appendicitis/Appendicitis%20Algorithm%20FINAL.pdf
2.	Appendicitis Handout	http://portal2/sites/coex/clinical-qlty-excellence/clinical-qlty-effectiveness/Clinical%20Care%20Guidelines%20in%20Practice/Appendicitis/Appendicitis%20-%20Brochure.pdf

Questionnaire:

Configuration

Diet Orders

NPO

- NPO PANEL (Selection Required)

REMINDER: Please fill in the appropriate Start Date and Time for this NPO order.

- | | |
|---|---|
| <input checked="" type="checkbox"/> NPO (Enter appropriate starting date and time in NPO Order) | CONTINUOUS, Routine
NPO Except: Sips with Meds |
|---|---|

Nursing

Nursing

- | | |
|--|--|
| <input checked="" type="checkbox"/> Patient is on Appendicitis Clinical Care Guideline | Routine, CONTINUOUS For 1 |
| <input checked="" type="checkbox"/> Provide Patient with Appendicitis Brochure | Routine, CONTINUOUS For 1 |
| <input type="checkbox"/> CARDIAC MONITOR-ED | STAT, ONCE, Starting S For 1 Occurrences |
| <input checked="" type="checkbox"/> ED PULSE OX SPOT CHECK | STAT, ONCE, Starting S For 1 Occurrences |

LC ED PIV/SODIUM CHLORIDE

- | | |
|---|--|
| <input type="checkbox"/> INSERT PIV | STAT, ONCE, Starting S For 1 Occurrences |
| <input type="checkbox"/> sodium chloride 0.9% injection | Intravenous, AS NEEDED, Medication Flush |

IV Fluids

IV Fluids

- | | |
|--|--|
| <input checked="" type="checkbox"/> dextrose 5% and 0.9% NACL solution | Intravenous, CONTINUOUS |
| <input type="checkbox"/> dextrose 5% and 0.9% NACL with 20 mEq/L potassium chloride solution | Intravenous, CONTINUOUS |
| <input type="checkbox"/> sodium chloride 0.9 % solution | 20 mL/kg/dose, Intravenous, for 30 Minutes, ONCE, For 1 Doses, For 1 Doses |

Antibiotics

Antibiotics

- | | |
|--|--|
| <input type="checkbox"/> ceftriaxone (ROCEPHIN) syringe pump | 50 mg/kg/dose, Intravenous, for 15 Minutes, ONCE, For 1 Doses, For 1 Doses |
|--|--|

- | | |
|---|---|
| <input type="checkbox"/> metronidazole (FLAGYL) injection | 30 mg/kg/dose, Intravenous, for 1 Hours, ONCE, For 1 Doses, For 1 Doses |
|---|---|

Antibiotics - Penicillin Allergic

- | | |
|---|---|
| <input type="checkbox"/> ciprofloxacin (CIPRO) injection | 15 mg/kg/dose, Intravenous, for 1 Hours, ONCE, For 1 Doses, For 1 Doses |
| <input type="checkbox"/> metronidazole (FLAGYL) injection | 30 mg/kg/dose, Intravenous, for 1 Hours, ONCE, For 1 Doses, For 1 Doses |

Pain

Acetaminophen

- | | |
|---|---|
| <input type="checkbox"/> acetaminophen (TYLENOL) suspension | 15 mg/kg/dose, Oral, ONCE, For 1 Doses, For 1 Doses |
| <input type="checkbox"/> acetaminophen (TYLENOL) tablet | 15 mg/kg/dose, Oral, ONCE, For 1 Doses, For 1 Doses |

Morphine - for breakthrough pain

- | | |
|---|---|
| <input type="checkbox"/> morphine (DURAMORPH) injection | 0.05 mg/kg/dose, Intravenous, for 5 Minutes, ONCE, For 1 Doses, For 1 Doses |
|---|---|

Additional Medication

Nausea

- | | |
|---|---|
| <input type="checkbox"/> ondansetron (ZOFRAN) injection | 0.15 mg/kg/dose, Intravenous, for 5 Minutes, ONCE, For 1 Doses, For 1 Doses |
| <input type="checkbox"/> ondansetron (ZOFRAN ODT) disintegrating tablet | Oral, ONCE, For 1 Doses, For 1 Doses |

Labs

Labs

- | | |
|---|--|
| <input type="checkbox"/> HCG (PREGNANCY TEST),URINE,QUALITATIVE (POC) | Routine, ONCE, Starting S For 1 Occurrences |
| <input type="checkbox"/> C-REACTIVE PROTEIN, PLASMA OR SERUM | Routine, CLINICIAN DRAW, ONCE, Starting S For 1 Occurrences, Blood |

Consult Orders

Consult Orders

- | | |
|--|------------------------------|
| <input type="checkbox"/> CHILD LIFE CONSULT | Routine, ONCE, Starting S+00 |
| <input type="checkbox"/> SOCIAL WORK CONSULT | Routine, ONCE, Starting S+00 |

Criteria

Suggestions: LOOKUP LOCATOR-ED APPENDICITIS[1581]

Filter:

Restrict SmartSet:

Settings

Discontinue action:

Deselect sections for Pended/Held orders:

Pended/Held orders display:

Release date: Use System Definitions Setting

Disallow user override: